

Nextcloud

1. GID/UID Mapping für ZFS Passthrough

1. https://pve.proxmox.com/wiki/Unprivileged_LXC_containers FIX für subuid/guid:
<https://lxc-users.linuxcontainers.narkive.com/KQxz7W3Z/uid-range-not-allowed>

2. FIX für "nogroup"-Problem

<https://forum.proxmox.com/threads/unable-to-map-to-www-data-user-in-container.49695/>

```
pct mount CTID find /var/lib/lxc/CTID/rootfs -uid 100033 -exec chown 1005 '{}' \; find  
/var/lib/lxc/CTID/rootfs -gid 100033 -exec chgrp 1005 '{}' \;
```

3. Verzeichnis auf ZFS umsetzen

1. Apache in CT deaktivieren (stop + disable)
 2. Original Nextcloudfiles ordner kopieren
 3. CT abschalten und mapping + mp0 mount auf ursprüngliches datenverzeichnis vornehmen
 4. CT anschalten kopie wieder in original ordner
 5. Enable + start apache
4. `'skeletondirectory' => ",`
 5. Trusted domains -> reverse proxy ip eintragen
- ## 2. If you just want to remove the default skeleton (no files added on first launch), do the following:
1. open config file with `vi /app/config/config.php`
 2. insert line `'skeletondirectory' => ""` on a new line (i to enter insert mode)
 3. press esc, then `:wq` and `<enter>` to write and save

Revision #3

Created 3 September 2022 23:50:07 by TJN

Updated 3 May 2025 12:29:37 by TJN